

GH

.... Company Culture



Intelligent manufacturing changes future

VALUES

Customer-focused and employee-based

S VISION

Become a respectable enterprise in the global metal forming equipment field

::: Company Profile



19 Global Branches



100+ Countries Covered



4 Manufacturing Bases



30+Global Service Centers




8,000+
Annual Capability



135,000m² Occupied Area

High-performance Laser Cutting Machine



Technical Parameters

| Technical Parameters | G3015H | G4020H | G6025H | G8025H | G12025H |
|---------------------------------|---------------|---------------|---------------|---------------|----------------|
| Power | 3000W-30000W | 3000W-30000W | 6000W-30000W | 12000W-30000W | 12000W-30000W |
| Processing format (L*W) | 3048mm*1524mm | 4064mm*2032mm | 6096mm*2540mm | 8150mm*2540mm | 12500mm*2540mm |
| X/Y-axis positioning accuracy | ±0.03mm/m | ±0.03mm/m | ±0.03mm/m | ±0.03mm/m | ±0.03mm/m |
| X/Y-axis repositioning accuracy | ±0.02mm | ±0.03mm | ±0.03mm | ±0.03mm | ±0.03mm |
| Max. Linkage Speed | 200m/min | 200m/min | 200m/min | 200m/min | 200m/min |
| Max. Linkage Acceleration | 4G | 2.8G | 2.8G | 2.8G | 2.8G |

^{*} Machine appearance, technical parameters, function description, data comparison shown in this page are from HSG in-house laboratory. All testing results and experimental data shall be subject to real machine.

Bus Control System

- Upgraded version of bus control system has strong and diverse functions, which makes users enjoy green and intelligent control system through simple operations.
- Intelligent path optimization with brand-new algorithm.
- Smart vibration control.
- Torque protection of dual drives.
- DA correction of air pressure.





Brand-new Aluminum Beam

 The new fifth-generation 6-series aluminum beam has 20% less weight and 15% more torsional resistance than the previous generation. Lightweight design beams play a high dynamic performance of the equipment to improve processing efficiency.

Bus-based Laser Cutting Heads

- •HSG developed and launched multiple high-power bus cutting heads ranging from 10kW to 40kW to achieve stable cutting of thick sheets.
- Optical filming to prevent lens pollution
- Real-time monitoring of laser focus
- Bus-based height adjusting system





Heat Protection Without Heat Damage Fear

• Material waste device is made of high-density burn prohibition plates for further improving heat protection of the machine bed.

High-precision Transmission System

• Selected professional speed reducers, high-precision racks, guide rails and other accessories construct entire high-accuracy transmission system to ensure stable operations in long time.






Upgraded Matrix Machine Bed with Level-up Rigidity

• Brand-new matrix machine and welding design of the cross-section improve the rigidity of entire machine bed structure significantly and decrease the negative influence on machine bed.

Machine Foundation


*The marked size has about 10mm error *Model:G6025H



::: Cutting Samples



Cutting Capacity







As a global enterprise, HSG sticks to providing professional and convenient service support to customers at home and board



Professional Training

Multiple technical training service and free operation training for customers and dealers in time



Efficient Support

Humanistic service model, online services and 7*24 hotline to offer solutions and assistance



Optimized Transport

Multi-channel transport solutions and professional transport solution team will provide various transport cases for to satisfy the demand of customers and save transports fees



Sufficient Accessories

Highly efficient accessories delivery service, multiple network inventory jointly responds to accessories demand to shorten customer's waiting times and accelerate production



Careful Services

Domestic door-to-door service and free proofing, global 100+dealers provide efficient and convenient services



Intelligent Manufacturing Changes Future



Website



Facebook



Youtub

Headquarters Add.: No. 4, Anye Road, Shunjiang Community Industrial Park,

Beijiao Town, Shunde District, Foshan, Guangdong, China

Website: www.hsglaser.com Email: info@hsglaser.com Tel:+86 757-66833906